


GARDENTOP



Schody zewnętrzne ze stopniami
z metalową kratownicą
Instrukcja montażu





1068015			Zestaw startowy		
1 2 × 1 K1-41430 × 1 K1-41930			7 8 × 1 K1-41911 × 1 K1-41910		5 × 2 K2-41900
40 × 14 K3-02045 M10×25	41 × 2 K3-04110 Ø10	42 × 8 K3-04198 Ø10	43 × 14 K3-03051 M10	44 × 12 K3-08001 Ø12 x 60	45 × 12 K3-06070 Ø10 x 60
59 × 12 K3-06269 Ø6 x 35	63 × 4 K3-05022 M8 x 20	64 × 12 K3-04010 Ø10,5			

1068016			Zestaw uzupełniający		
3 4 × 1 K1-41921 × 1 K1-41920			40 × 4 K3-02045 M10 x 25	42 × 4 K3-04198 Ø10	43 × 4 K3-03051 M10
			59 × 6 K3-06269 Ø6 x 35		



1068020			Wzmocnienie skośne do stopni		
W przypadku 6 stopni lub więcej dodaj: 9 + 10			40 × 2 K3-02045 M10 x 25	43 × 2 K3-03051 M10	58 × 2 K3-02386 M8 x 40
9 10 × 1 K1-41060 × 1 K1-41061 Max. 6 × 9 + 10			59 × 1 K3-06269 Ø6 x 35	61 × 2 K3-03047 M8	65 × 2 K3-04099 Ø10

		80 cm / 100 cm Stopień z kratownicy metalowej		
11 	44  × 2	55   × 4 K3-04016 Ø6	56   × 4 K3-03046 M6	
	57   × 4 K3-02220 M6 x 20	58   × 2 K3-02386 M8 x 40	61   × 2 K3-03047 M8	



1068098		Wzmocnienie pionowe - słupek (OPCJA)			
24  × 1 K1-41950	26  × 1 K1-41955	27  × 1 K1-41956	41   × 1 K3-04110 Ø10	43   × 1 K3-03051 M10	52   × 1 K3-02375 M10 x 75
	53   × 2 K3-05007 M5 x 5	54  × 1 K3-08002 Ø8 x 40	55   × 1 K3-06032 Ø6 x 60		








H	S				
	180 mm	190 mm	200 mm	210 mm	220 mm
2	540	570	600	630	660
3	720	760	800	840	880
4	900	950	1000	1050	1100
5	1080	1140	1200	1260	1320
6	1260	1330	1400	1470	1540
7	1440	1520	1600	1680	1760
8	1620	1710	1800	1890	1980
9	1800	1900	2000	2100	2200
10	1980	2090	2200	2310	2420
11	2160	2280	2400	2520	2640
12	2340	2470	2600	2730	2860









H	S				
	180 mm	190 mm	200 mm	210 mm	220 mm
2	360	380	400	420	440
3	540	570	600	630	660
4	720	760	800	840	880
5	900	950	1000	1050	1100
6	1080	1140	1200	1260	1320
7	1260	1330	1400	1470	1540
8	1440	1520	1600	1680	1760
9	1620	1710	1800	1890	1980
10	1800	1900	2000	2100	2200
11	1980	2090	2200	2310	2420
12	2160	2280	2400	2520	2640

















13






14






17



18


19



Ø 12mm ▽ 70mm

18

44



19

64

45

19


45

64

44

18

Ø 12mm ▽ 70mm





W przypadku 8 lub
więcej stopni o
szerokości 100 cm
zaleca się zastosowanie
wzmocnienia
pionowego (słupka)

